




## Tavaborole

Revised: December 3, 2018.

CASRN: 174671-46-6



## Drug Levels and Effects

### Summary of Use during Lactation

Topical tavaborole has not been studied during breastfeeding. Because blood levels are very low after topical application to the toenails, it is unlikely that a measurable amount of the drug will enter the breastmilk.

### Drug Levels

*Maternal Levels.* Relevant published information was not found as of the revision date.

*Infant Levels.* Relevant published information was not found as of the revision date.

**Disclaimer:** Information presented in this database is not meant as a substitute for professional judgment. You should consult your healthcare provider for breastfeeding advice related to your particular situation. The U.S. government does not warrant or assume any liability or responsibility for the accuracy or completeness of the information on this Site.

**Attribution Statement:** LactMed is a registered trademark of the U.S. Department of Health and Human Services.

## Effects in Breastfed Infants

Relevant published information was not found as of the revision date.

## Effects on Lactation and Breastmilk

Relevant published information was not found as of the revision date.

## Alternate Drugs to Consider

Ciclopirox, Efinaconazole, Terbinafine

## Substance Identification

### Substance Name

Tavaborole

### CAS Registry Number

174671-46-6

### Drug Class

Breast Feeding

Lactation

Anti-Infective Agents

Antifungal Agents