

**Table E-15. Age, BMI, and smoking status for trials comparing hormone with hormone**

<b>Study</b>	<b>Age, Mean (SD)</b>	<b>Range</b>	<b>BMI, Mean (SD)</b>	<b>Current</b>	<b>Former</b>	<b>Never</b>
Polvani 1991						
Henriksson 1994	59.4 (6.7)	45 to 80		12.7		
Studd 1995	52.0 (4.8)	38 to 65	25.8			
Ayton 1996	59.5 (7.3)	36 to 86		12.7		
Hilditch 1996	56.4 (3.4)		24.6 (3.4)			
Egarter 1996	49.0	41 to 55				
Hirvonen 1997	56.3 (4.2)	46 to 65				
Hirvonen 1997	54.2 (5.4)	41 to 70		26		
Rozenberg 1997	52.8 (4.9)		24.8 (3.0)			
Al-Azzawi 1997						

<b>Study</b>	<b>Age, Mean (SD)</b>	<b>Range</b>	<b>BMI, Mean (SD)</b>	<b>Current</b>	<b>Former</b>	<b>Never</b>
Lubbert 1997	54.0 (7.0)					
Barentsen 1997						
Bachmann 1997	56.8	35 to 76				
Good 1999	50.4 (7.6)					
Mattsson 2000	51.1 (4.2)		25.2 (4.1)			
Saure 2000	49.0 (5.0)					
Graser 2000	54.1 (5.5)		25.3 (3.4)			
Rioux 2000	57.3 (7.4)					
Dugal 2000	58.8 (5.1)					
Parsey 2000	52.0 (4.9)					
Meuwissen 2001	52.9 (4.9)		25.2 (3.3)			
Lopes 2001	51.5 (4.5)		25.3 (4.3)			
Ozsoy 2002	50.6 (3.3)		23.3 (3.1)			
Loh 2002	53.7 (4.2)		23.0 (3.2)			
Buckler (d) 2003	51.5 (5.4)	31 to 63		25.6		
Lobo 2003	53.4 (5.7)	40 to 65	26.1 (5.0)			
Pornel 2005	52.7 (4.5)		25.1 (3.5)	24		
Gambacciani 2005	53.4 (4.4)		25.1 (3.4)	23.8		
Utian 2005	52.8 (6.6)	34 to 74	28.3			
Davis 2005	53.7 (4.0)	42 to 65		9.5		70
Raynaud 2005	52.5 (4.5)		24.3 (3.6)			
Braunstein 2005	49.3 (7.7)					
Simon 2005	49.1 (7.6)	26 to 70	27.9 (6.0)			
Weisberg 2005	57.9	46 to 81				
Buster 2005	48.9 (7.5)		27.6 (5.8)			
Akhila 2006						
Serrano 2006	52.2 (3.2)		25.0 (4.1)	19		
Cieraad 2006	49.1 (4.0)		26.1 (4.4)			
Davis 2006	50.1	30 to 66	24.4 (2.7)			
Long 2006	53.8 (6.7)					

<b>Study</b>	<b>Age, Mean (SD)</b>	<b>Range</b>	<b>BMI, Mean (SD)</b>	<b>Current</b>	<b>Former</b>	<b>Never</b>
Shifren 2006	53.9 (4.9)		25.8 (4.7)			
Limpaphayom (m) 2006	53.4 (5.0)		23.7 (3.4)			
Odabasi 2007	49.5 (3.1)		29.3 (3.5)			
Pitkin (d) 2007	51.5 (4.1)		24.8 (3.0)			
Penteado 2008	52.1 (3.9)	42 to 60	27.3 (4.2)			
Panay 2010	56.6 (5.3)		26.5 (4.8)			

(a): data came from a conference abstract; BMI: body mass index; (c): data came from posted results on the clinical trial registry; CEE: conjugated equine estrogen; (d): duplicate patient population with other included article; (m): trial contains data from multiple publications; SD: standard deviation; (SIP): data came from a package insert