Table E-28. Uterus status, age since menopause, and prior HRT use for trials comparing hormone with placebo

Study	Intact Uterus	(%)	Mean Age Menopause (SD)	Years Since Menopause (SD)	Prior HT (%)
Martin 1971	Mixed	56			
Campbell 1977	NR				
Baumgardner 1978	Mixed	63			
Coope 1981	Mixed	65.5			
Jensen 1983	NR			1.9	
Foidart 1991	Mixed	52.3			
Eriksen 1992	NR				
Wiklund 1993	All			3.1 (3.4)	31.8
Derman 1995	NR				
Saletu 1995	Mixed	71.9			
Good 1996	Mixed	43.6	43.0 (8.3)		
Speroff (Study 1) 1996	None				
Chung 1996	None		42.1 (8.0)	0.6 (1.5)	
Speroff (Study 2) 1996	None				
Speroff (Study 3) 1996	None				
Bacchi-Modena 1997	All			2.7	
Baerug 1998	NR		49.0 (3.3)	2.5 (2.9)	30.3
Bech 1998	NR				
de Vrijer 1999	Mixed	65		4.4	
Leonetti 1999	NR			3.2 (1.4)	
Studd 1999	NR			2.5 (1.8)	52.7

Study	Intact Uterus	(%)	Mean Age Menopause (SD)	Years Since Menopause (SD)	Prior HT (%)
Polo-Kantola 1999	None				
Casper 1999	Mixed				
Cohen 1999	Mixed	81.5			
Rebar 2000	Mixed	67.6			
Speroff (Study 1) 2000	All			2.0 (1.6)	
Rovati 2000	Mixed	71.1		3.5 (3.6)	
Notelovitz 2000	Mixed	30		5.9	49.7
Strickler 2000	NR			4.5 (1.9)	40.3
Notelovitz 2000	All			2.9 (2.8)	
DeAloysio 2000	Mixed	94.9		1.1 (1.1)	
von Holst 2000	None				
Notelovitz 2000	All			5.2 (4.9)	36.9
Alexandersen 2000	NR			9.3 (3.4)	
Speroff (Study 2) 2000	All			2.1 (1.2)	
Rigano 2001	All				
Utian (CEE alone arms) 2001	All		48.1 (4.7)	3.9 (3.5)	
Simon 2001	NR			7.2	
Soares 2001	NR			0.4 (0.4)	
Utian (CEE/MPA arms) 2001	All		48.2 (4.3)	4.2 (3.9)	
Rozenbaum 2002	Mixed	77.6	49.6 (3.9)	3.4 (3.1)	53.3
Shulman (Study 1) 2002	Mixed				
von Holst 2002	All				
Archer 2003	Mixed	76.9		10.2 (8.4)	62
Vestergaard 2003	Mixed	81		0.7 (0.6)	
Speroff 2003	Mixed	81			78.3
Jirapinyo 2003	All				
Haines 2003	None				
Hays 2003	All				26
Gambacciani 2003	NR			4.6 (3.0)	
Gelfand 2003	All			2.7 (3.0)	15.1

Study	Intact Uterus	(%)	Mean Age Menopause (SD)	Years Since Menopause (SD)	Prior HT (%)
Wren 2003	NR				
Simunic 2003	All		49.9 (4.6)	9.2 (3.6)	
Parsons 2003	All			9.3 (6.7)	
Berlex (SIP) 2003	NR				
Rudolph 2004	Mixed			9.7 (8.0)	
Yang 2004	All		49.8 (3.2)	4.1 (0.9)	
Schurmann 2004	All				
Utian 2004	Mixed				
Dessole 2004	NR			7.2 (5.0)	
Duramed (SIP) 2004	NR				
Brunner 2005	None				48.4
Onalan 2005	All			4.4 (3.7)	
Bayer Healthcare (SIP) 2005	NR				
Novartis (SIP) 2005	NR				
Speroff (Study 1) 2006	Mixed	57			
Simon 2006	Mixed	50.5			
Nielsen 2006	Mixed	94.3		2.2 (1.7)	6.6
Osmanagaoglu 2006	All				
Speroff (Study 2) 2006	Mixed	41			
Bachmann (d) 2007	Mixed	42.4	44.1 (8.0)	9.1 (8.2)	
Maki 2007	All			1.8 (0.8)	
Endrikat 2007	Mixed	67		4.6 (3.3)	
Lee 2007	Mixed				
Panay 2007	All				
Simon 2007	Mixed			8.7 (8.2)	81
Pefanco 2007	Mixed	68.4			
Bayer Healthcare (SIP) 2007	NR				
Buster (Study 1) 2008	Mixed	61.7			
Veerus 2008	NR				
Davis 2008	Mixed	55.9			

Study	Intact Uterus	(%)	Mean Age Menopause (SD)	Years Since Menopause (SD)	Prior HT (%)
Bachmann 2008	Mixed	52.6		14.0 (8.6)	
Welton 2008	Mixed				
Buster (Study 2) 2008	Mixed	61.7			
Buster (Study 3) 2008	Mixed	61.7			
Simon (SIP) 2008	Mixed	58.1		13.0 (9.3)	
Benster 2009	Mixed				
Utian 2009	All			4.5	
Lobo 2009	All			6.9 (4.9)	
Haines 2009	Mixed	62.5		5.1 (5.1)	
Bachmann (d) 2009	Mixed	44.6		9.8 (8.6)	
Hedrick 2009	Mixed	47			
Baksu 2009	None				
Bachmann (Study 1) 2009	All			9.2 (6.2)	
Freedman 2009	Mixed	62.6		13.0 (8.8)	
Gast 2009	All			5.3	52.6
Bachmann (Study 2) 2009	All			5.3	
Hassa 2010	None				
Stevenson 2010	All			5.5 (4.6)	
Bachmann 2010	All			7.4 (4.8)	
Raghunandan 2010	Mixed			7.0 (1.5)	
Hedrick 2010	Mixed	48.4			
Liu 2011	Mixed				
Lin 2011	All			2.8 (3.0)	
Demetrio 2011	None			3.7	
Liu 2012	Mixed				
Archer 2012	Mixed	65.4		8.5 (7.7)	
Archer 2012	Mixed	65.4		8.5 (7.7)	
Cano 2012	Mixed	86.2		9.9 (6.6)	
Polisseni 2013	All			4.7 (3.5)	
Raz 2013	All				

Study	Intact Uterus	(%)	Mean Age Menopause (SD)	Years Since Menopause (SD)	Prior HT (%)
Archer 2013	Mixed	45.6	44.7 (7.5)	9.4 (8.5)	
Pinkerton 2013	All			3.6 (3.1)	

(a): data came from a conference abstract; (c): data came from posted results on the clinical trial registry; (d): duplicate patient population with other included article; (m): trial contains data from multiple publications; NR: not reported; SD: standard deviation; (SIP); data came from a package insert