

Appendix C. Comparison of Baseline Characteristics for Patients With Complete Data (n = 1179) to Patients Who Did Not Complete Follow-up (n = 73)

Variable	Baseline & Follow Up Data	Missing Follow Up Data	P value
	(N=1,179)	(N=73)	
<b>Demographics</b>			
Age (Mean ± Standard Deviation)	67.0 ± 11.6	69.1 ± 13.6	0.127
Gender (N[%])			0.054
Female	639 (54.2)	31 (42.5)	
Male	540 (45.8)	42 (57.5)	
Race/Ethnicity (N[%])			0.258
White	667 (56.6)	42 (57.5)	
Asian	94 (8.0)	8 (11.0)	
Black	162 (13.7)	5 (6.8)	
Hispanic	231 (19.6)	15 (34.2)	
Other/Unknown	25 (2.1)	3 (4.1)	
Spanish Speaker (N[%])			0.447
Yes	71 (6.0)	6 (8.2)	
No	1108 (94.0)	67 (91.8)	
Standardized Neighborhood Deprivation Index (N[%])			0.769 <sup>a</sup>
1st quartile - least deprived (-1.45 - -0.75)	238 (20.2)	17 (23.3)	
2nd quartile (-0.74 - -0.20)	354 (30.0)	20 (27.3)	
3rd quartile (-0.19 - 0.53)	324 (27.5)	18 (24.7)	
4th quartile - most deprived (0.54 - 4.19)	249 (21.1)	18 (24.7)	
Unknown	14 (1.2)	0 (0.0)	
<b>Diabetes Management</b>			
Total count of A1c tests (Mean ± Standard Deviation)	2.2 ± 1.2	2.3 ± 1.3	0.575
Most recent A1c prior to baseline assessment (N[%])			0.535 <sup>a</sup>
< 7	411 (34.9)	27 (37.0)	
7 – 8	392 (33.2)	28 (18.1)	
8 – 9	163 (13.8)	7 (9.6)	
> 9	180 (15.3)	8 (11.0)	
Unknown	33 (2.8)	3 (4.0)	
Most recent A1c (Mean ± Standard Deviation)	7.7 ± 1.5	7.4 ± 1.4	0.161
Calf Pain (N[%])			0.763
Yes	444 (37.7)	25 (34.2)	
No	654 (55.5)	44 (60.3)	
Unknown	81 (6.8)	4 (5.5)	
<b>Shared Decision Making (range: 0-100; higherscore indicates highest level of shared decision making) (N[%])</b>			
1st quartile - low level (0.00 - 24.44)	155 (13.1)	5 (6.9)	
2nd quartile (26.67 - 48.89)	285 (24.2)	18 (24.7)	
3rd quartile (51.11 - 73.33)	313 (26.6)	13 (17.8)	
4th quartile - high level (75.56 - 100)	426 (36.1)	36 (49.3)	
Unknown	0 (0.0)	1 (1.4)	
<b>Outcomes (Mean + Standard Deviation)</b>			
Quality of Life (range=0-1; 1=best possible health)	0.7 ± 0.1	0.6 ± 0.1	0.051
Pain Interference 8-Item Short Form (range=40.7-77.0; 77.0=maximum interference)	55.1 ± 15.2	52.7 ± 17.9	0.251
Sleep Disruption (range: 32-84.2; 84.2=maximum disruption)	57.6 ± 4.1	57.6 ± 4.1	0.972
Lower Extremity Functioning (range: 16.5-58.6; 58.6=best functioning)	18.2 ± 19.3	20.2 ± 18.4	0.387
Depressive Symptoms (range:38.2-81.3; 81.3=worst symptoms)	9.6 ± 20.6	14.5 ± 24.8	0.100
Patient-Provider Communication Score (CAHPS Health Plan Survey): min=4; max=24; 24=best communication)	20.9 ± 4.4	20.4 ± 5.2	0.385

<sup>a</sup>Computed based on the non-missing values