

Appendix B. Supplementary Tables

Appendix B: Supplementary Tables Referred to in Figures 3 and 4

Note: These supplementary tables provide complete conditional logit regression results for Figures 3 and 4 in the final report that describe Preference for Providers Offering Medication vs Talk Therapy as Treatment for Depression, by Racial/Ethnic Group and Gender. Figure 3 in the Final Report refers to Tables S1 and S2 below. Figure 4 refers to Tables S3-S17 below.

These tables are copied from Appendix A in "Depression Treatment Preferences by Race/Ethnicity and Gender and Associations between Past Healthcare Discrimination Experiences and Present Preferences in a Nationally Representative Sample," published in Social Science and Medicine (full citation below)

Rajan Anthony Sonik, Timothy B. Creedon, Ana Maria Progovac, Nicholas Carson, Jonathan Delman, Deborah Delman, Benjamin Lê Cook, Tali Fleitman Soffer, Valeria Chambers, Catherine Rodriguez Quinerly, Ziva Mann, Ruth Nabisere, Farah N. Shaikh, Dierdre Jordan, Afsaneh Moradi, Selma de Castro, Heba Abolaban, Esther Lee, Sherry Shu-Yeu Hou, Susan Busch, Adam C. Carle, Dharma E. Cortes, Danny McCormick, Michael Flores, Maria Jose Sanchez Roman, Frederick Lu, Natasha Anjuli Kaushal, Depression treatment preferences by race/ethnicity and gender and associations between past healthcare discrimination experiences and present preferences in a nationally representative sample, Social Science & Medicine, Volume 253, 2020, 112939.

Table S1. Treatment preferences by race/ethnicity

utility	Odds Ratio	Standard error	p	95% CI	
Always reliable	2.009	0.109	<0.001	1.806	2.235
Always understandable language	1.890	0.111	<0.001	1.685	2.120
Talk therapy only	0.797	0.086	0.037	0.645	0.986
Both medication and talk therapy	2.004	0.136	<0.001	1.754	2.290
30 minute commute	0.874	0.047	0.012	0.787	0.971
60 minute commute	0.344	0.024	<0.001	0.300	0.395
\$20 cost	0.613	0.035	<0.001	0.547	0.686
\$75 cost	0.170	0.013	<0.001	0.146	0.198
Always reliable*non-Hispanic black	0.826	0.087	0.070	0.672	1.016
Always understandable language*non-Hispanic black	0.798	0.086	0.037	0.646	0.986
Talk therapy only*non-Hispanic black	1.324	0.223	0.096	0.952	1.842
Both medication and talk therapy*non-Hispanic black	0.983	0.118	0.886	0.777	1.243
30 minute commute*non-Hispanic black	1.257	0.110	0.009	1.058	1.492
60 minute commute*non-Hispanic black	1.613	0.215	<0.001	1.242	2.094
\$20 cost*non-Hispanic black	1.144	0.136	0.256	0.907	1.444
\$75 cost*non-Hispanic black	1.179	0.213	0.360	0.828	1.679
Always reliable*Hispanic	0.865	0.077	0.105	0.727	1.031
Always understandable language*Hispanic	0.906	0.086	0.297	0.751	1.091
Talk therapy only*Hispanic	1.355	0.232	0.076	0.969	1.895
Both medication and talk therapy*Hispanic	0.993	0.116	0.951	0.790	1.248
30 minute commute*Hispanic	1.023	0.097	0.814	0.849	1.231
60 minute commute*Hispanic	1.359	0.149	0.005	1.096	1.686
\$20 cost*Hispanic	1.205	0.106	0.035	1.013	1.432
\$75 cost*Hispanic	1.481	0.208	0.005	1.124	1.950

Table S2. Treatment preferences by gender

utility	Odds Ratio	Standard error	p	95% CI	
Always reliable	1.920	0.112	<0.001	1.712	2.154
Always understandable language	1.686	0.109	<0.001	1.486	1.914
Talk therapy only	0.759	0.090	0.020	0.603	0.957
Both medication and talk therapy	1.741	0.121	<0.001	1.520	1.995
30 minute commute	0.901	0.056	0.095	0.798	1.018
60 minute commute	0.394	0.035	<0.001	0.332	0.468
\$20 cost	0.699	0.045	<0.001	0.616	0.793
\$75 cost	0.199	0.018	<0.001	0.166	0.239
Always reliable*Woman	0.982	0.080	0.820	0.837	1.151
Always understandable language*Woman	1.111	0.096	0.222	0.938	1.316
Talk therapy only*Woman	1.298	0.204	0.097	0.954	1.766
Both medication and talk therapy*Woman	1.259	0.125	0.020	1.037	1.529
30 minute commute*Woman	1.014	0.082	0.863	0.865	1.188
60 minute commute*Woman	0.995	0.108	0.964	0.804	1.231
\$20 cost*Woman	0.883	0.075	0.142	0.747	1.043
\$75 cost*Woman	0.920	0.112	0.493	0.725	1.168

Table S3. Treatment preferences among non-Hispanic white respondents by whether or not a respondent had experienced discrimination by a medical provider

utility	Odds Ratio	Standard error	z	p	95% CI	
Always reliable	2.056	0.118	12.530	<0.001	1.837	2.302
Always understandable language	1.918	0.120	10.370	<0.001	1.696	2.169
Talk therapy only	0.798	0.093	-1.930	0.053	0.635	1.003
Both medication and talk therapy	1.876	0.136	8.660	<0.001	1.627	2.163
30 minute commute	0.869	0.049	-2.480	0.013	0.778	0.971
60 minute commute	0.353	0.026	-13.960	<0.001	0.305	0.409
\$20 cost	0.617	0.040	-7.490	<0.001	0.544	0.700
\$75 cost	0.168	0.014	-21.620	<0.001	0.143	0.198
Always reliable*Discrimination	0.832	0.154	-1.000	0.320	0.579	1.195
Always understandable language*Discrimination	0.845	0.145	-0.990	0.324	0.604	1.181
Talk therapy only*Discrimination	0.936	0.317	-0.200	0.844	0.481	1.819
Both medication and talk therapy*Discrimination	1.655	0.304	2.740	0.006	1.155	2.372
30 minute commute*Discrimination	1.063	0.197	0.330	0.743	0.739	1.527
60 minute commute*Discrimination	0.794	0.194	-0.940	0.345	0.491	1.283
\$20 cost*Discrimination	0.909	0.125	-0.690	0.488	0.694	1.190
\$75 cost*Discrimination	0.952	0.200	-0.240	0.813	0.631	1.436

Table S4. Treatment preferences among non-Hispanic black respondents by whether or not a respondent had experienced discrimination by a medical provider

utility	Odds Ratio	<i>Standard Error</i>	<i>z</i>	<i>p</i>	95% CI	
Always reliable	1.769	0.175	5.750	<0.001	1.456	2.148
Always understandable language	1.514	0.161	3.910	<0.001	1.230	1.865
Talk therapy only	1.212	0.206	1.130	0.258	0.868	1.691
Both medication and talk therapy	2.384	0.294	7.040	<0.001	1.872	3.037
30 minute commute	1.129	0.101	1.360	0.173	0.948	1.345
60 minute commute	0.512	0.073	-4.680	<0.001	0.387	0.677
\$20 cost	0.701	0.089	-2.790	0.005	0.546	0.900
\$75 cost	0.200	0.041	-7.840	<0.001	0.134	0.299
Always reliable*Discrimination	0.879	0.182	-0.620	0.534	0.585	1.320
Always understandable language*Discrimination	0.989	0.200	-0.050	0.957	0.665	1.471
Talk therapy only*Discrimination	0.751	0.190	-1.130	0.258	0.457	1.233
Both medication and talk therapy*Discrimination	0.597	0.117	-2.630	0.009	0.407	0.877
30 minute commute*Discrimination	0.917	0.132	-0.610	0.545	0.691	1.215
60 minute commute*Discrimination	1.329	0.311	1.210	0.225	0.840	2.104
\$20 cost*Discrimination	0.968	0.217	-0.150	0.883	0.623	1.503
\$75 cost*Discrimination	0.980	0.345	-0.060	0.953	0.491	1.953

Table S5. Treatment preferences among Hispanic respondents by whether or not a respondent had experienced discrimination by a medical provider

utility	Odds Ratio	<i>Standard Error</i>	z	p	95% CI	
Always reliable	1.622	0.126	6.210	<0.001	1.393	1.890
Always understandable language	1.594	0.132	5.620	<0.001	1.355	1.876
Talk therapy only	1.082	0.168	0.510	0.610	0.799	1.466
Both medication and talk therapy	2.045	0.226	6.480	<0.001	1.647	2.539
30 minute commute	0.832	0.075	-2.040	0.042	0.697	0.993
60 minute commute	0.437	0.042	-8.530	<0.001	0.361	0.528
\$20 cost	0.762	0.060	-3.430	0.001	0.652	0.890
\$75 cost	0.253	0.036	-9.750	<0.001	0.192	0.334
Always reliable*Discrimination	1.359	0.241	1.730	0.084	0.960	1.923
Always understandable language*Discrimination	1.393	0.248	1.870	0.062	0.983	1.974
Talk therapy only*Discrimination	0.998	0.297	-0.010	0.996	0.558	1.788
Both medication and talk therapy*Discrimination	0.884	0.194	-0.560	0.575	0.576	1.359
30 minute commute*Discrimination	1.371	0.217	1.990	0.046	1.005	1.870
60 minute commute*Discrimination	1.350	0.262	1.540	0.123	0.922	1.975
\$20 cost*Discrimination	0.890	0.115	-0.900	0.368	0.690	1.147
\$75 cost*Discrimination	0.991	0.237	-0.040	0.968	0.620	1.582

Table S6. Treatment preferences among non-Hispanic white respondents by whether or not a respondent had experienced discrimination by front desk staff

utility	Odds Ratio	<i>Standard Error</i>	<i>z</i>	<i>p</i>	95% CI	
Always reliable	2.068	0.116	12.980	<0.001	1.853	2.308
Always understandable language	1.889	0.115	10.420	<0.001	1.676	2.130
Talk therapy only	0.809	0.092	-1.870	0.061	0.648	1.010
Both medication and talk therapy	1.932	0.139	9.180	<0.001	1.679	2.224
30 minute commute	0.884	0.049	-2.230	0.025	0.794	0.985
60 minute commute	0.353	0.026	-14.230	<0.001	0.306	0.408
\$20 cost	0.627	0.038	-7.650	<0.001	0.556	0.706
\$75 cost	0.176	0.014	-21.740	<0.001	0.150	0.206
Always reliable*Discrimination	0.696	0.165	-1.530	0.126	0.438	1.107
Always understandable language*Discrimination	0.924	0.190	-0.390	0.700	0.617	1.383
Talk therapy only*Discrimination	0.698	0.302	-0.830	0.406	0.300	1.628
Both medication and talk therapy*Discrimination	1.659	0.362	2.320	0.020	1.082	2.544
30 minute commute*Discrimination	0.921	0.222	-0.340	0.732	0.574	1.478
60 minute commute*Discrimination	0.736	0.241	-0.940	0.350	0.388	1.398
\$20 cost*Discrimination	0.807	0.157	-1.100	0.270	0.551	1.182
\$75 cost*Discrimination	0.694	0.204	-1.240	0.214	0.389	1.235

Table S7. Treatment preferences among non-Hispanic black respondents by whether or not a respondent had experienced discrimination by front desk staff

utility	Odds Ratio	<i>Standard Error</i>	z	p	95% CI	
Always reliable	1.809	0.179	6.010	<0.001	1.491	2.195
Always understandable language	1.539	0.161	4.130	<0.001	1.254	1.888
Talk therapy only	1.276	0.206	1.510	0.130	0.931	1.751
Both medication and talk therapy	2.260	0.260	7.080	<0.001	1.803	2.832
30 minute commute	1.177	0.100	1.920	0.055	0.997	1.390
60 minute commute	0.534	0.074	-4.510	<0.001	0.406	0.701
\$20 cost	0.740	0.090	-2.490	0.013	0.583	0.938
\$75 cost	0.217	0.041	-8.150	<0.001	0.150	0.313
Always reliable*Discrimination	0.794	0.179	-1.020	0.307	0.510	1.235
Always understandable language*Discrimination	0.941	0.202	-0.280	0.779	0.618	1.434
Talk therapy only*Discrimination	0.599	0.147	-2.080	0.037	0.370	0.970
Both medication and talk therapy*Discrimination	0.633	0.135	-2.140	0.032	0.417	0.962
30 minute commute*Discrimination	0.786	0.114	-1.670	0.096	0.592	1.044
60 minute commute*Discrimination	1.232	0.296	0.870	0.384	0.770	1.972
\$20 cost*Discrimination	0.801	0.189	-0.940	0.348	0.504	1.273
\$75 cost*Discrimination	0.733	0.278	-0.820	0.414	0.348	1.543

Table S8. Treatment preferences among Hispanic respondents by whether or not a respondent had experienced discrimination by front desk staff

utility	Odds Ratio	<i>Standard Error</i>	z	p	95% CI	
Always reliable	1.702	0.138	6.540	<0.001	1.451	1.996
Always understandable language	1.664	0.147	5.750	<0.001	1.399	1.980
Talk therapy only	1.087	0.171	0.530	0.598	0.798	1.480
Both medication and talk therapy	2.050	0.224	6.560	<0.001	1.654	2.540
30 minute commute	0.847	0.077	-1.840	0.066	0.709	1.011
60 minute commute	0.442	0.042	-8.540	<0.001	0.366	0.533
\$20 cost	0.792	0.059	-3.110	0.002	0.684	0.917
\$75 cost	0.258	0.036	-9.790	<0.001	0.196	0.338
Always reliable*Discrimination	1.046	0.179	0.270	0.791	0.748	1.464
Always understandable language*Discrimination	1.068	0.169	0.410	0.679	0.783	1.456
Talk therapy only*Discrimination	0.895	0.230	-0.430	0.664	0.541	1.480
Both medication and talk therapy*Discrimination	0.842	0.185	-0.780	0.434	0.548	1.294
30 minute commute*Discrimination	1.345	0.232	1.720	0.086	0.959	1.887
60 minute commute*Discrimination	1.340	0.287	1.360	0.172	0.880	2.040
\$20 cost*Discrimination	0.710	0.108	-2.240	0.025	0.527	0.958
\$75 cost*Discrimination	0.805	0.204	-0.860	0.392	0.490	1.322

Table S9. Treatment preferences among non-Hispanic white respondents by whether or not a respondent had experienced discrimination by both a medical provider and front desk staff

utility	Odds Ratio	<i>Standard Error</i>	<i>z</i>	<i>p</i>	95% CI	
Always reliable	2.060	0.115	12.990	<0.001	1.848	2.298
Always understandable language	1.882	0.115	10.380	<0.001	1.670	2.120
Talk therapy only	0.788	0.089	-2.110	0.035	0.632	0.983
Both medication and talk therapy	1.911	0.134	9.210	<0.001	1.665	2.193
30 minute commute	0.869	0.048	-2.560	0.011	0.781	0.968
60 minute commute	0.349	0.026	-14.380	<0.001	0.303	0.403
\$20 cost	0.621	0.038	-7.780	<0.001	0.551	0.701
\$75 cost	0.172	0.014	-22.340	<0.001	0.147	0.200
Always reliable*Discrimination	0.680	0.191	-1.370	0.170	0.392	1.180
Always understandable language*Discrimination	0.974	0.229	-0.110	0.910	0.614	1.545
Talk therapy only*Discrimination	0.871	0.425	-0.280	0.777	0.335	2.268
Both medication and talk therapy*Discrimination	1.853	0.471	2.420	0.015	1.125	3.050
30 minute commute*Discrimination	1.129	0.290	0.470	0.637	0.682	1.867
60 minute commute*Discrimination	0.841	0.297	-0.490	0.623	0.421	1.680
\$20 cost*Discrimination	0.844	0.173	-0.830	0.406	0.565	1.260
\$75 cost*Discrimination	0.763	0.250	-0.830	0.409	0.402	1.449

Table S10. Treatment preferences among non-Hispanic black respondents by whether or not a respondent had experienced discrimination by both a medical provider and front desk staff

utility	Odds Ratio	<i>Standard Error</i>	<i>z</i>	<i>p</i>	95% CI	
Always reliable	1.787	0.170	6.100	<0.001	1.483	2.153
Always understandable language	1.550	0.156	4.340	<0.001	1.272	1.889
Talk therapy only	1.272	0.199	1.540	0.123	0.937	1.728
Both medication and talk therapy	2.354	0.269	7.500	<0.001	1.882	2.944
30 minute commute	1.178	0.097	2.000	0.046	1.003	1.384
60 minute commute	0.530	0.071	-4.720	<0.001	0.408	0.690
\$20 cost	0.736	0.086	-2.620	0.009	0.585	0.926
\$75 cost	0.212	0.039	-8.470	<0.001	0.148	0.304
Always reliable*Discrimination	0.812	0.200	-0.850	0.397	0.502	1.315
Always understandable language*Discrimination	0.909	0.209	-0.420	0.678	0.580	1.426
Talk therapy only*Discrimination	0.575	0.146	-2.170	0.030	0.349	0.947
Both medication and talk therapy*Discrimination	0.522	0.109	-3.120	0.002	0.347	0.785
30 minute commute*Discrimination	0.765	0.116	-1.770	0.077	0.568	1.030
60 minute commute*Discrimination	1.286	0.323	1.000	0.316	0.786	2.103
\$20 cost*Discrimination	0.807	0.203	-0.850	0.395	0.493	1.323
\$75 cost*Discrimination	0.767	0.310	-0.660	0.511	0.348	1.692

Table S11. Treatment preferences among Hispanic respondents by whether or not a respondent had experienced discrimination by both a medical provider and front desk staff

utility	Odds Ratio	<i>Standard Error</i>	z	p	95% CI	
Always reliable	1.705	0.133	6.850	<0.001	1.463	1.986
Always understandable language	1.670	0.141	6.060	<0.001	1.415	1.972
Talk therapy only	1.086	0.163	0.550	0.582	0.809	1.459
Both medication and talk therapy	2.015	0.214	6.590	<0.001	1.636	2.482
30 minute commute	0.859	0.075	-1.740	0.081	0.725	1.019
60 minute commute	0.439	0.040	-8.990	<0.001	0.367	0.525
\$20 cost	0.756	0.057	-3.680	<0.001	0.651	0.877
\$75 cost	0.253	0.034	-10.280	<0.001	0.195	0.329
Always reliable*Discrimination	1.026	0.206	0.130	0.897	0.692	1.522
Always understandable language*Discrimination	1.082	0.189	0.450	0.650	0.769	1.523
Talk therapy only*Discrimination	0.887	0.258	-0.410	0.680	0.502	1.568
Both medication and talk therapy*Discrimination	0.880	0.216	-0.520	0.604	0.544	1.424
30 minute commute*Discrimination	1.329	0.263	1.440	0.150	0.902	1.957
60 minute commute*Discrimination	1.551	0.378	1.800	0.072	0.962	2.501
\$20 cost*Discrimination	0.871	0.136	-0.890	0.376	0.642	1.182
\$75 cost*Discrimination	0.874	0.253	-0.460	0.643	0.495	1.543

Table S12. Treatment preferences among men by whether or not a respondent had experienced discrimination by a medical provider

utility	Odds Ratio	<i>Standard Error</i>	<i>z</i>	<i>p</i>	95% CI	
Always reliable	1.889	0.115	10.420	<0.001	1.676	2.128
Always understandable language	1.681	0.122	7.180	<0.001	1.459	1.937
Talk therapy only	0.694	0.093	-2.740	0.006	0.535	0.902
Both medication and talk therapy	1.671	0.127	6.780	<0.001	1.441	1.939
30 minute commute	0.860	0.058	-2.230	0.026	0.754	0.982
60 minute commute	0.364	0.035	-10.560	<0.001	0.301	0.439
\$20 cost	0.725	0.053	-4.400	<0.001	0.628	0.837
\$75 cost	0.208	0.022	-14.720	<0.001	0.169	0.256
Always reliable*Discrimination	1.129	0.222	0.620	0.536	0.768	1.660
Always understandable language*Discrimination	0.956	0.154	-0.280	0.779	0.697	1.310
Talk therapy only*Discrimination	1.620	0.487	1.600	0.109	0.899	2.922
Both medication and talk therapy*Discrimination	1.242	0.244	1.100	0.270	0.845	1.824
30 minute commute*Discrimination	1.321	0.215	1.710	0.088	0.959	1.818
60 minute commute*Discrimination	1.608	0.378	2.020	0.044	1.014	2.550
\$20 cost*Discrimination	0.837	0.127	-1.170	0.240	0.621	1.127
\$75 cost*Discrimination	0.803	0.160	-1.100	0.269	0.544	1.186

Table S13. Treatment preferences among women by whether or not a respondent had experienced discrimination by a medical provider

utility	Odds Ratio	<i>Standard Error</i>	<i>z</i>	<i>p</i>	95% CI	
Always reliable	1.971	0.126	10.650	<0.001	1.740	2.233
Always understandable language	1.892	0.121	10.010	<0.001	1.670	2.144
Talk therapy only	1.055	0.124	0.450	0.651	0.837	1.329
Both medication and talk therapy	2.180	0.175	9.720	<0.001	1.863	2.551
30 minute commute	0.910	0.053	-1.610	0.107	0.812	1.021
60 minute commute	0.400	0.028	-12.930	<0.001	0.348	0.460
\$20 cost	0.603	0.039	-7.760	<0.001	0.531	0.685
\$75 cost	0.172	0.015	2<0.001	<0.001	0.145	0.205
Always reliable*Discrimination	0.786	0.104	-1.820	0.069	0.606	1.019
Always understandable language*Discrimination	0.970	0.145	-0.200	0.840	0.723	1.301
Talk therapy only*Discrimination	0.692	0.169	-1.510	0.131	0.429	1.116
Both medication and talk therapy*Discrimination	1.002	0.164	0.010	0.992	0.727	1.380
30 minute commute*Discrimination	1.001	0.118	0.010	0.994	0.794	1.262
60 minute commute*Discrimination	0.893	0.152	-0.660	0.506	0.640	1.246
\$20 cost*Discrimination	1.061	0.128	0.490	0.624	0.837	1.344
\$75 cost*Discrimination	1.279	0.268	1.170	0.241	0.848	1.929

Table S14. Treatment preferences among men by whether or not a respondent had experienced discrimination by front desk staff

utility	Odds Ratio	<i>Standard Error</i>	<i>z</i>	<i>p</i>	95% CI	
Always reliable	1.952	0.121	10.800	<0.001	1.729	2.204
Always understandable language	1.651	0.117	7.050	<0.001	1.436	1.898
Talk therapy only	0.729	0.095	-2.410	0.016	0.565	0.943
Both medication and talk therapy	1.684	0.124	7.060	<0.001	1.457	1.946
30 minute commute	0.873	0.059	-2.020	0.043	0.766	0.996
60 minute commute	0.360	0.035	-10.620	<0.001	0.298	0.434
\$20 cost	0.722	0.051	-4.630	<0.001	0.629	0.828
\$75 cost	0.212	0.022	-15.170	<0.001	0.173	0.259
Always reliable*Discrimination	0.900	0.187	-0.510	0.612	0.600	1.352
Always understandable language*Discrimination	1.091	0.179	0.530	0.595	0.791	1.504
Talk therapy only*Discrimination	1.338	0.443	0.880	0.380	0.699	2.561
Both medication and talk therapy*Discrimination	1.293	0.288	1.160	0.248	0.836	2.002
30 minute commute*Discrimination	1.285	0.223	1.450	0.147	0.915	1.805
60 minute commute*Discrimination	1.988	0.385	3.550	<0.001	1.360	2.907
\$20 cost*Discrimination	0.813	0.146	-1.150	0.249	0.572	1.156
\$75 cost*Discrimination	0.649	0.145	-1.930	0.054	0.418	1.007

Table S15. Treatment preferences among women by whether or not a respondent had experienced discrimination by front desk staff

utility	Odds Ratio	<i>Standard Error</i>	<i>z</i>	<i>p</i>	95% CI	
Always reliable	1.974	0.121	11.090	<0.001	1.750	2.226
Always understandable language	1.915	0.119	10.420	<0.001	1.695	2.164
Talk therapy only	1.044	0.120	0.370	0.712	0.832	1.308
Both medication and talk therapy	2.229	0.176	10.150	<0.001	1.910	2.603
30 minute commute	0.933	0.053	-1.220	0.221	0.835	1.043
60 minute commute	0.408	0.028	-13.140	<0.001	0.356	0.466
\$20 cost	0.630	0.039	-7.420	<0.001	0.558	0.712
\$75 cost	0.182	0.016	-19.830	<0.001	0.154	0.215
Always reliable*Discrimination	0.695	0.102	-2.480	0.013	0.521	0.926
Always understandable language*Discrimination	0.810	0.117	-1.460	0.144	0.610	1.075
Talk therapy only*Discrimination	0.575	0.141	-2.260	0.024	0.357	0.929
Both medication and talk therapy*Discrimination	0.861	0.157	-0.820	0.413	0.602	1.232
30 minute commute*Discrimination	0.871	0.108	-1.120	0.265	0.683	1.111
60 minute commute*Discrimination	0.780	0.162	-1.190	0.233	0.519	1.173
\$20 cost*Discrimination	0.827	0.108	-1.460	0.144	0.640	1.067
\$75 cost*Discrimination	1.008	0.258	0.030	0.975	0.610	1.665

Table S16. Treatment preferences among men by whether or not a respondent had experienced discrimination by both a medical provider and front desk staff

utility	Odds Ratio	<i>Standard Error</i>	z	p	95% CI	
Always reliable	1.923	0.116	10.800	<0.001	1.708	2.165
Always understandable language	1.652	0.115	7.240	<0.001	1.442	1.893
Talk therapy only	0.720	0.092	-2.560	0.010	0.560	0.926
Both medication and talk therapy	1.700	0.124	7.290	<0.001	1.474	1.960
30 minute commute	0.869	0.057	-2.140	0.032	0.764	0.988
60 minute commute	0.360	0.034	-10.850	<0.001	0.299	0.433
\$20 cost	0.715	0.050	-4.820	<0.001	0.624	0.820
\$75 cost	0.208	0.021	-15.570	<0.001	0.171	0.253
Always reliable*Discrimination	1.022	0.255	0.090	0.930	0.627	1.666
Always understandable language*Discrimination	1.112	0.214	0.550	0.581	0.762	1.623
Talk therapy only*Discrimination	1.617	0.594	1.310	0.191	0.787	3.323
Both medication and talk therapy*Discrimination	1.259	0.319	0.910	0.365	0.765	2.069
30 minute commute*Discrimination	1.426	0.259	1.950	0.051	0.998	2.036
60 minute commute*Discrimination	2.303	0.447	4.300	<0.001	1.574	3.369
\$20 cost*Discrimination	0.828	0.164	-0.950	0.343	0.561	1.222
\$75 cost*Discrimination	0.683	0.162	-1.610	0.107	0.430	1.086

Table S17. Treatment preferences among women by whether or not a respondent had experienced discrimination by both a medical provider and front desk staff

utility	Odds Ratio	<i>Standard Error</i>	z	p	95% CI	
Always reliable	1.979	0.120	11.280	<0.001	1.758	2.228
Always understandable language	1.906	0.118	10.440	<0.001	1.689	2.152
Talk therapy only	1.030	0.117	0.260	0.796	0.825	1.286
Both medication and talk therapy	2.194	0.169	10.210	<0.001	1.887	2.551
30 minute commute	0.923	0.052	-1.420	0.154	0.827	1.031
60 minute commute	0.403	0.027	-13.390	<0.001	0.353	0.460
\$20 cost	0.619	0.038	-7.770	<0.001	0.549	0.699
\$75 cost	0.179	0.015	-20.560	<0.001	0.152	0.211
Always reliable*Discrimination	0.613	0.097	-3.100	0.002	0.449	0.835
Always understandable language*Discrimination	0.836	0.137	-1.090	0.274	0.606	1.153
Talk therapy only*Discrimination	0.551	0.153	-2.140	0.032	0.320	0.950
Both medication and talk therapy*Discrimination	0.884	0.185	-0.590	0.554	0.587	1.331
30 minute commute*Discrimination	0.887	0.110	-0.960	0.335	0.695	1.132
60 minute commute*Discrimination	0.811	0.192	-0.880	0.376	0.509	1.291
\$20 cost*Discrimination	0.911	0.133	-0.630	0.526	0.684	1.214
\$75 cost*Discrimination	1.050	0.317	0.160	0.871	0.582	1.897