

Table S17. Treatment preferences among women by whether or not a respondent had experienced discrimination by both a medical provider and front desk staff

utility	Odds Ratio	<i>Standard Error</i>	z	p	95% CI	
Always reliable	1.979	0.120	11.280	<0.001	1.758	2.228
Always understandable language	1.906	0.118	10.440	<0.001	1.689	2.152
Talk therapy only	1.030	0.117	0.260	0.796	0.825	1.286
Both medication and talk therapy	2.194	0.169	10.210	<0.001	1.887	2.551
30 minute commute	0.923	0.052	-1.420	0.154	0.827	1.031
60 minute commute	0.403	0.027	-13.390	<0.001	0.353	0.460
\$20 cost	0.619	0.038	-7.770	<0.001	0.549	0.699
\$75 cost	0.179	0.015	-20.560	<0.001	0.152	0.211
Always reliable*Discrimination	0.613	0.097	-3.100	0.002	0.449	0.835
Always understandable language*Discrimination	0.836	0.137	-1.090	0.274	0.606	1.153
Talk therapy only*Discrimination	0.551	0.153	-2.140	0.032	0.320	0.950
Both medication and talk therapy*Discrimination	0.884	0.185	-0.590	0.554	0.587	1.331
30 minute commute*Discrimination	0.887	0.110	-0.960	0.335	0.695	1.132
60 minute commute*Discrimination	0.811	0.192	-0.880	0.376	0.509	1.291
\$20 cost*Discrimination	0.911	0.133	-0.630	0.526	0.684	1.214
\$75 cost*Discrimination	1.050	0.317	0.160	0.871	0.582	1.897