

Table S4. Treatment preferences among non-Hispanic black respondents by whether or not a respondent had experienced discrimination by a medical provider

utility	Odds Ratio	Standard Error	z	p	95% CI	
Always reliable	1.769	0.175	5.750	<0.001	1.456	2.148
Always understandable language	1.514	0.161	3.910	<0.001	1.230	1.865
Talk therapy only	1.212	0.206	1.130	0.258	0.868	1.691
Both medication and talk therapy	2.384	0.294	7.040	<0.001	1.872	3.037
30 minute commute	1.129	0.101	1.360	0.173	0.948	1.345
60 minute commute	0.512	0.073	-4.680	<0.001	0.387	0.677
\$20 cost	0.701	0.089	-2.790	0.005	0.546	0.900
\$75 cost	0.200	0.041	-7.840	<0.001	0.134	0.299
Always reliable*Discrimination	0.879	0.182	-0.620	0.534	0.585	1.320
Always understandable language*Discrimination	0.989	0.200	-0.050	0.957	0.665	1.471
Talk therapy only*Discrimination	0.751	0.190	-1.130	0.258	0.457	1.233
Both medication and talk therapy*Discrimination	0.597	0.117	-2.630	0.009	0.407	0.877
30 minute commute*Discrimination	0.917	0.132	-0.610	0.545	0.691	1.215
60 minute commute*Discrimination	1.329	0.311	1.210	0.225	0.840	2.104
\$20 cost*Discrimination	0.968	0.217	-0.150	0.883	0.623	1.503
\$75 cost*Discrimination	0.980	0.345	-0.060	0.953	0.491	1.953