

Table S5. Treatment preferences among Hispanic respondents by whether or not a respondent had experienced discrimination by a medical provider

utility	Odds Ratio	<i>Standard Error</i>	z	p	95% CI	
Always reliable	1.622	0.126	6.210	<0.001	1.393	1.890
Always understandable language	1.594	0.132	5.620	<0.001	1.355	1.876
Talk therapy only	1.082	0.168	0.510	0.610	0.799	1.466
Both medication and talk therapy	2.045	0.226	6.480	<0.001	1.647	2.539
30 minute commute	0.832	0.075	-2.040	0.042	0.697	0.993
60 minute commute	0.437	0.042	-8.530	<0.001	0.361	0.528
\$20 cost	0.762	0.060	-3.430	0.001	0.652	0.890
\$75 cost	0.253	0.036	-9.750	<0.001	0.192	0.334
Always reliable*Discrimination	1.359	0.241	1.730	0.084	0.960	1.923
Always understandable language*Discrimination	1.393	0.248	1.870	0.062	0.983	1.974
Talk therapy only*Discrimination	0.998	0.297	-0.010	0.996	0.558	1.788
Both medication and talk therapy*Discrimination	0.884	0.194	-0.560	0.575	0.576	1.359
30 minute commute*Discrimination	1.371	0.217	1.990	0.046	1.005	1.870
60 minute commute*Discrimination	1.350	0.262	1.540	0.123	0.922	1.975
\$20 cost*Discrimination	0.890	0.115	-0.900	0.368	0.690	1.147
\$75 cost*Discrimination	0.991	0.237	-0.040	0.968	0.620	1.582