

Table S9. Treatment preferences among non-Hispanic white respondents by whether or not a respondent had experienced discrimination by both a medical provider and front desk staff

utility	Odds Ratio	Standard Error	z	p	95% CI	
Always reliable	2.060	0.115	12.990	<0.001	1.848	2.298
Always understandable language	1.882	0.115	10.380	<0.001	1.670	2.120
Talk therapy only	0.788	0.089	-2.110	0.035	0.632	0.983
Both medication and talk therapy	1.911	0.134	9.210	<0.001	1.665	2.193
30 minute commute	0.869	0.048	-2.560	0.011	0.781	0.968
60 minute commute	0.349	0.026	-14.380	<0.001	0.303	0.403
\$20 cost	0.621	0.038	-7.780	<0.001	0.551	0.701
\$75 cost	0.172	0.014	-22.340	<0.001	0.147	0.200
Always reliable*Discrimination	0.680	0.191	-1.370	0.170	0.392	1.180
Always understandable language*Discrimination	0.974	0.229	-0.110	0.910	0.614	1.545
Talk therapy only*Discrimination	0.871	0.425	-0.280	0.777	0.335	2.268
Both medication and talk therapy*Discrimination	1.853	0.471	2.420	0.015	1.125	3.050
30 minute commute*Discrimination	1.129	0.290	0.470	0.637	0.682	1.867
60 minute commute*Discrimination	0.841	0.297	-0.490	0.623	0.421	1.680
\$20 cost*Discrimination	0.844	0.173	-0.830	0.406	0.565	1.260
\$75 cost*Discrimination	0.763	0.250	-0.830	0.409	0.402	1.449