E.1.1.3 Comparison 3: Dose A [20mg/10mg] vs Dose B [10mg/10mg] vs Dose C [10mg/5mg] – Nottingham health profile (NHP) Outcomes

Figure 15: A: 20mg HC 0800 B: 10mg HC 0800 C: 10mg HC 0800)h, 10ı)h, 10ı	mg H mg H	IC 16 IC 16	00h 00 h	eve	ls (le	ower is bette	r)
	Inte	rventio	n	Com	parat	or	Mean Difference	Mean Difference
Study or Subgroup	Mean	SD	Total	Mean	SD	Total	IV, Fixed, 95% CI	IV, Fixed, 95% CI
3.1.1 A vs B								
Behan 2011	36.3	43.6	10	35.1	42.5	10	1.20 [-36.54, 38.94]	·
3.1.2 A vs C								
Behan 2011	36.3	43.6	10	41.3	37.3	10	-5.00 [-40.56, 30.56]	· · · · · · · · · · · · · · · · · · ·
3.1.3 B vs C								
Behan 2011	35.1	42.5	10	41.3	37.3	10	-6.20 [-41.25, 28.85]	· · · · · · · · · · · · · · · · · · ·
								-20 -10 0 10 20 Favours intervention Favours comparator

Figure 16: A: 20mg HC 080				•	ver	is be	etter)		
0	'	0							
B: 10mg HC 080	,	0							
C: 10mg HC 080	0h, 5n	ng H	C 160)0 h					
	Inte	rventio	n	Comparator			Mean Difference	Mean Difference	
Study or Subgroup	Mean	SD	Total	Mean	SD.	Total	IV, Fixed, 95% CI	IV, Fixed, 95% CI	
3.2.1 A vs B									
Behan 2011	8.1	22.2	10	7	15.6	10	1.10 [-15.72, 17.92]		
3.2.2 A vs C									
Behan 2011	8.1	22.2	10	10.6	21.6	10	-2.50 [-21.70, 16.70]		
3.2.3 B vs C									
Behan 2011	7	15.6	10	10.6	21.6	10	-3.60 [-20.11, 12.91]		
								-20 -10 0 10 2 Favours intervention Favours comparator	20

Figure 17: NHP – Emotional reaction (lower is better)

	Inte	rventi	on	Comparator			Mean Difference	Mean Difference		
Study or Subgroup	Mean	SD	Total	Mean	SD	Total	IV, Fixed, 95% CI	IV, Fixed, 95% CI		
3.3.1 A vs B										
Behan 2011	8.5	10.3	10	7.3	15.5	10	1.20 [-10.33, 12.73]			
3.3.2 A vs C										
Behan 2011	8.5	10.3	10	8.6	17.1	10	-0.10 [-12.47, 12.27]			
3.3.3 B vs C										
Behan 2011	7.3	15.5	10	8.6	17.1	10	-1.30 [-15.60, 13.00]			
								-20 -10 0 10 20		
								Favours intervention Favours comparator		

 Figure 18:
 NHP – Sleep (lower is better)

 A: 20mg HC 0800h, 10mg HC 1600h

 B: 10mg HC 0800h, 10mg HC 1600 h

 C: 10mg HC 0800h, 5mg HC 1600 h

	Inte	rventio	n	Comparator			Mean Difference	Mean Difference		
Study or Subgroup	Mean	SD	Total	Mean	SD	Total	IV, Fixed, 95% CI	IV, Fixed, 95% CI		
3.4.1 A vs B										
Behan 2011	20.7	23.2	10	15.3	30.4	10	5.40 [-18.30, 29.10]			
3.4.2 A vs C										
Behan 2011	20.7	23.2	10	10.9	17.7	10	9.80 [-8.29, 27.89]			
3.4.3 B vs C										
Behan 2011	15.3	30.4	10	10.9	17.7	10	4.40 [-17.40, 26.20]			
								-20 -10 0 10 20 Favours intervention Favours comparator		




Figure 19: NHP – Social isolation (lower is better)

Figure 20: NHP – Physical abilities (lower is better)

A: 20mg HC 0800h, 10mg HC 1600h

B: 10mg HC 0800h, 10mg HC 1600 h

C: 10mg HC 0800h, 5mg HC 1600 h Intervention Comparator

