E.1.1.5 Comparison 5: Dose A [10mg/5mg HC] vs Dose B [10mg/5mg/5mg HC]

F	igure 23:	SF-36	6 – P	hys	ical s	sum	sca	le (higher is	better)
		D	ose A		D	ose B		Mean Difference	Mean Difference
	Study or Subgroup	Mean	SD	Total	Mean	SD	Total	IV, Fixed, 95% CI	IV, Fixed, 95% CI
	Benson 2012	43.9	10.5	18	40.7	13.4	18	3.20 [-4.66, 11.06]	+
									-100 -50 0 50 100 Favours dose A Favours dose B

Figure 24: SF-36 – Psychological sum scale (higher is better)

	Do	ose A		D	ose B		Mean Difference		Mean Difference	
Study or Subgroup	Mean	SD	Total	Mean	SD	Total	IV, Fixed, 95% CI		IV, Fixed, 95% CI	
Benson 2012	46.3	7.7	18	46.4	12.8	18	-0.10 [-7.00, 6.80]		+	
								-100	-50 0 50	100
								100	Favours dose A Favours dose B	100

Figure 25: BSI Global Severity Index (lower i

	D	ose A		D	ose B		Mean Difference		Me	an Differen	ce	
Study or Subgroup	Mean	SD	Total	Mean	SD	Total	IV, Fixed, 95% CI		IV.	Fixed, 95%	CI	
Benson 2012	57.9	11.4	18	58.1	12.9	18	-0.20 [-8.15, 7.75]			+		
								-100	-50	ó	50	100
									Favours do	se A Favou	irs dose B	




Figure 27:	Sleepiness score 1200 (lower is better)
------------	---

	D	ose A		D	ose B		Mean Difference		Mean D	ifference	
Study or Subgroup	Mean	SD	Total	Mean	SD	Total	IV, Fixed, 95% CI		IV, Fixe	d, 95% CI	
Benson 2012	1.7	0.24	18	1.7	0.29	18	0.00 [-0.17, 0.17]	-100	-50 Favours dose A	0 50 Favours dose	100 B

Figure 28: Sleepiness score 1500 (lower is better)

	D	ose A		D	ose B		Mean Difference		Mean Di	fference	
Study or Subgroup	Mean	SD	Total	Mean	SD	Total	IV, Fixed, 95% CI		IV, Fixed	I, 95% CI	
Benson 2012	1.8	0.27	18	1.8	0.24	18	0.00 [-0.17, 0.17]				
								-100	-50 (0 50	100
									Favours dose A	Favours dose B	

Figure 29: Sleepiness score 1800 (lower is better)

	D	ose A		Do	se B		Mean Difference		Mean Differen	nce	
Study or Subgroup	Mean	SD	Total	Mean	SD	Total	IV, Fixed, 95% CI		IV, Fixed, 95%	CI	
Benson 2012	1.7	0.21	18	2.1	0.3	18	-0.40 [-0.57, -0.23]	-100	-50 0 Favours dose A Favo	50 burs dose B	100

Figure 30: Sleepiness score 2200 (lower is better)

	D	ose A		Do	se B		Mean Difference		Mean Di	fference	
Study or Subgroup	Mean	SD	Total	Mean	SD	Total	IV, Fixed, 95% CI		IV, Fixed	I, 95% CI	
Benson 2012	2.7	0.39	18	3.4	0.5	18	-0.70 [-0.99, -0.41]	-100	-50 Favours dose A	0 50 Favours dose B	100

Figure 31: Satisfaction with medication (lower is better)

	D	ose A		D	ose B		Mean Difference		Mean Difference	
Study or Subgroup	Mean	SD	Total	Mean	SD	Total	IV, Fixed, 95% CI		IV, Fixed, 95% CI	
Benson 2012	51.2	33.1	18	56.6	27.3	18	-5.40 [-25.22, 14.42]		-+	
								-100	-50 0 50	10
									Favours dose A Favours dose B	