


**NLM Citation:** Drugs and Lactation Database (LactMed®) [Internet]. Bethesda (MD): National Institute of Child Health and Human Development; 2006-. Prilocaine. [Updated 2020 Nov 16]. **Bookshelf URL:** https://www.ncbi.nlm.nih.gov/books/



### **Prilocaine**

Revised: November 16, 2020.

CASRN: 721-50-6



# **Drug Levels and Effects**

## **Summary of Use during Lactation**

No information is available on the use of prilocaine during breastfeeding. Based on the low excretion of other local anesthetics into breastmilk, a single dose of prilocaine injected during breastfeeding, such as for a dental procedure, is unlikely to adversely affect the breastfed infant. However, an alternate drug may be preferred, especially while nursing a newborn or preterm infant. Topical application of prilocaine to the mother is unlikely to affect her breastfed infant if it is applied away from the breast. Only water-miscible cream or gel products should be applied to the breast because ointments may expose the infant to high levels of mineral paraffins via licking.[1]

**Disclaimer:** Information presented in this database is not meant as a substitute for professional judgment. You should consult your healthcare provider for breastfeeding advice related to your particular situation. The U.S. government does not warrant or assume any liability or responsibility for the accuracy or completeness of the information on this Site.

**Attribution Statement:** LactMed is a registered trademark of the U.S. Department of Health and Human Services.

## **Drug Levels**

Maternal Levels. Relevant published information was not found as of the revision date.

Infant Levels. Relevant published information was not found as of the revision date.

### **Effects in Breastfed Infants**

Relevant published information was not found as of the revision date.

### **Effects on Lactation and Breastmilk**

Relevant published information was not found as of the revision date.

#### References

1. Noti A, Grob K, Biedermann M, et al. Exposure of babies to C(15)-C(45) mineral paraffins from human milk and breast salves. Regul Toxicol Pharmacol. 2003;38:317–25. PubMed PMID: 14623482.

# **Substance Identification**

#### **Substance Name**

Prilocaine

## **CAS Registry Number**

721-50-6

# **Drug Class**

**Breast Feeding** 

Lactation

Anesthetics, Local