




Cellulose and Citric Acid


Revised: May 1, 2019.

CASRN: 77-92-9; 9004-34-6



Disclaimer: Information presented in this database is not meant as a substitute for professional judgment. You should consult your healthcare provider for breastfeeding advice related to your particular situation. The U.S. government does not warrant or assume any liability or responsibility for the accuracy or completeness of the information on this Site.

Attribution Statement: LactMed is a registered trademark of the U.S. Department of Health and Human Services.



Drug Levels and Effects

Summary of Use during Lactation

No data are available on cellulose and citric acid use during breastfeeding. However, the drug is not absorbed from the gastrointestinal tract, so it cannot enter the breastmilk. Cellulose and citric acid is acceptable to use during breastfeeding.

Drug Levels

Maternal Levels. Relevant published information was not found as of the revision date.

Infant Levels. Relevant published information was not found as of the revision date.

Effects in Breastfed Infants

Relevant published information was not found as of the revision date.

Effects on Lactation and Breastmilk

Relevant published information was not found as of the revision date.

Substance Identification

Substance Name

Cellulose and Citric Acid

CAS Registry Number

77-92-9; 9004-34-6

Drug Class

Breastfeeding

Lactation

Appetite Depressants

Gastrointestinal Agents

Anti-Obesity Agents