NATIONAL INSTITUTE FOR HEALTH AND CARE EXCELLENCE

Guideline scope

COVID-19 rapid guideline: chronic kidney disease

1 Clinical question

How should care be provided for the clinical areas identified for patients with confirmed COVID-19, suspected COVID-19 or without COVID-19?

2 What the guideline will cover

2.1 Who is the focus?

Adults with chronic kidney disease (stages G1 to G5).

2.2 Activities, services or aspects of care

Key areas that will be covered

For each of the clinical areas where guidance is developed, we may look at areas including, but not limited to:

- 1 General measures to reduce exposure (of staff and patients) to infection.
- 2 Triage and prioritising treatment.
- 3 Areas of the patient pathway (home to hospital, for example) for which management will be different due to the COVID-19 pandemic.
- 4 Deployment of other non-specialist trained staff to deliver services if workforce capacity is reduced.

For the guidelines covering critical care only, the areas may specifically include:

5 Decision making for critical care.

See appendix A for details of the key themes and questions.

Key areas that will not be covered

- 1 Clinical management of COVID-19 because this is already covered in guidance produced by NHS England and NHS Improvement.
- 2 Service delivery.
- 3 Specific guidance on the training requirements for staff to deliver care if workforce capacity is reduced.

2.3 Principles of identifying where guidance is required and developing this guidance

- 1 Assess the standard patient pathway and identify areas of deviation due to the COVID-19 pandemic.
- 2 Curate any existing guidance on the specific clinical area that deviates from the standard care pathway and collate it in an accessible format.
- 3 Search for evidence to inform practice if there is no guidance, or there is uncertainty, on the clinical area that deviates from the standard care pathway.
- 4 Identify what people need to stop doing, start doing and do more of as a result of the COVID-19 pandemic that is different from standard clinical practice.

Appendix A Proposed key themes and key questions

for the guideline

Chronic kidney disease (CKD) (wave 8)

Population	Adults with chronic kidney disease (stages G1 to G5).
Key themes to include	Monitoring CKD
	 Management and self-management of CKD
	 Referral to specialist nephrology services
	Information and education
	Chronic kidney disease after COVID-19
Themes to exclude	Patients already on dialysis
	 Patients with a kidney transplant
Key questions	 What frequency of eGFR and ACR monitoring tests is most appropriate during the COVID-19 pandemic?
	 When can phone or virtual clinics in combination with self-management (including home blood-pressure monitoring) be safely used instead of face-to-face contact?
	 Should patients discontinue ACE inhibitors, angiotensin receptor blockers, diuretics or other medicines if they develop severe symptoms of COVID- 19?
	• What indications are sufficiently urgent to be referred:
	 to renal outpatients
	 for renal ultrasound
	 for hospital admission
	during the COVID-19 pandemic?
	 What additional information or resources should be provided to patients during the COVID-19 pandemic?
	 Should patients with CKD be assessed after COVID- 19 for progression of their CKD?

© NICE 2020. All rights reserved. Subject to Notice of rights.