




Glucagon

Revised: April 19, 2021.

CASRN: 16941-32-5



Drug Levels and Effects

Summary of Use during Lactation

No information is available on the clinical use of glucagon during breastfeeding. Because glucagon is a large protein molecule with a molecular weight of 3483 Da, the amount in milk is likely to be very low and absorption is unlikely because it is probably destroyed in the infant's gastrointestinal tract. Glucagon has also been safely given directly to infants by injection. No special precautions are required.

Drug Levels

Maternal Levels. Relevant published information was not found as of the revision date.

Infant Levels. Relevant published information was not found as of the revision date.

Disclaimer: Information presented in this database is not meant as a substitute for professional judgment. You should consult your healthcare provider for breastfeeding advice related to your particular situation. The U.S. government does not warrant or assume any liability or responsibility for the accuracy or completeness of the information on this Site.

Attribution Statement: LactMed is a registered trademark of the U.S. Department of Health and Human Services.

Effects in Breastfed Infants

Relevant published information was not found as of the revision date.

Effects on Lactation and Breastmilk

Relevant published information was not found as of the revision date.

Alternate Drugs to Consider

Terbutaline

Substance Identification

Substance Name

Glucagon

CAS Registry Number

16941-32-5

Drug Class

Breast Feeding

Lactation

Gastrointestinal Agents

Hormones