




Etelcalcetide

Revised: August 15, 2023.

CASRN: 1262780-97-1



Drug Levels and Effects

Summary of Use during Lactation

No information is available on etelcalcetide during breastfeeding. Because etelcalcetide is a large molecule with a molecular weight of 1047.5 Da, the amount in milk is likely to be low. The manufacturer recommends that breastfeeding be avoided during use. An alternate drug may be preferred, especially while nursing a newborn or preterm infant.

Drug Levels

Maternal Levels. Relevant published information was not found as of the revision date.

Infant Levels. Relevant published information was not found as of the revision date.

Disclaimer: Information presented in this database is not meant as a substitute for professional judgment. You should consult your healthcare provider for breastfeeding advice related to your particular situation. The U.S. government does not warrant or assume any liability or responsibility for the accuracy or completeness of the information on this Site.

Attribution Statement: LactMed is a registered trademark of the U.S. Department of Health and Human Services.

Effects in Breastfed Infants

Relevant published information was not found as of the revision date.

Effects on Lactation and Breastmilk

Relevant published information was not found as of the revision date.

Alternate Drugs to Consider

Cinacalcet

Substance Identification

Substance Name

Etelcalcetide

CAS Registry Number

1262780-97-1

Drug Class

Breast Feeding

Lactation

Milk, Human

Calcium-Regulating Hormones and Agents

Calcimimetic Agents