

Appendix A. Literature Search Strategy

Phase	Domain	Search Strategy (date range 1975-2014)
1	General: Labor and delivery	Textwords: (Childbirth preferences OR cesarean delivery OR cesarean section OR cesarean-section OR birth plan OR vaginal birth OR c-section OPR natural childbirth) AND (attitude OR satisfaction OR psychology) AND Survey Tool * OR patient satisfaction survey OR questionnaire OR Parturition/psychology"[Mesh] OR ("Natural Childbirth/psychology"[Mesh] OR (Cesarean Section, Repeat/psychology"[Mesh] OR (((("Delivery, Obstetric/psychology"[Mesh] OR "Anesthesia, Epidural/psychology"[Mesh] OR ((Cesarean Section/psychology"[Mesh] OR "Cesarean Section/utilization"[Mesh]))) AND "Attitude to Health"[Mesh])AND ("Questionnaires"[Mesh] OR "Psychometrics"[Mesh]))
2	Birth plan	(((pregnant women or childbirth)) AND (((survey [tiab] or surveys[tiab] or question[tiab] or questionnaires [tiab] or patient satisfaction surveys [tiab] or patient satisfaction survey[tiab] or survey tools [tiab] or survey tool [tiab]))) AND (((health plan [tiab]) OR health plans[tiab]) OR birth plan [tiab]) OR birth plans [tiab]))) OR (((("Questionnaires"[Mesh] OR "Psychometrics"[Mesh]) AND (((("Health Plan Implementation"[Mesh] OR "Health Planning"[Mesh]) AND "Pregnant Women"[Mesh]) AND "Attitude to Health"[Mesh] AND Humans[Mesh] AND English[lang]))
2	Decision making	((((((((((((childbirth preferences [tiab]) OR decision making [tiab]) OR patient choice [tiab]) OR patient participation [tiab]) OR decision-making [tiab]) OR shared decision-making [tiab]) OR informed consent [tiab])) AND (((((((((((child birth [tiab]) OR (birth plans [tiab] OR birth plan [tiab])) OR labor induction [tiab]) OR labour induction [tiab]) OR induced birth [tiab]) OR childbirth [tiab]) OR labour pain [tiab]) OR ((labor pain [tiab]) OR pain relief [tiab]) OR cesarean section [tiab]) OR cesarean delivery[tiab]) OR c-section [tiab]) OR VBAC [tiab]) OR TOLAC [tiab]) OR childbirth preferences [tiab])) AND (((((((question [tiab]) OR questionnaires [tiab]) OR questions [tiab]) OR questionnaire [tiab]) OR survey tool [tiab]) OR survey tools [tiab]) OR survey [tiab]) OR surveys [tiab]) OR (patient satisfaction surveys [tiab] OR patient satisfaction survey [tiab])))) OR (((((((("Labor, Obstetric"[Mesh] OR "Labor Pain"[Mesh] OR "Trial of Labor"[Mesh] OR "Labor, Induced"[Mesh] OR "Labor Onset"[Mesh]) OR ("Cesarean Section"[Mesh] OR "Cesarean Section, Repeat"[Mesh]) OR "Natural Childbirth"[Mesh] OR "Vaginal Birth after Cesarean"[Mesh])) AND "Attitude to Health"[Mesh] AND (((("Patient Participation"[Mesh] OR "Personal Autonomy"[Mesh] OR "Choice Behavior"[Mesh]))
2	Post partum	Search (((((((((((experiences [tiab]) OR experience [tiab]) OR opinions [tiab]) OR opinion [tiab]) OR attitudes [tiab]) OR attitude [tiab]) OR preference [tiab]) OR preferences [tiab])) AND (((((((("Questionnaires"[Mesh] OR "Psychometrics"[Mesh]) AND (((("Postnatal Care"[Mesh] OR "Postpartum Period"[Mesh])) AND (((((((("Pain"[Mesh] OR "Child Rearing"[Mesh] OR "Stress Disorders, Traumatic, Acute"[Mesh] OR "Stress Disorders, Post-Traumatic"[Mesh] OR "Stress, Psychological"[Mesh] OR "Sleep Disorders"[Mesh] OR "Workload"[Mesh] OR "Social Isolation"[Mesh] OR "Parenting"[Mesh] OR "Mother- Child Relations"[Mesh] OR "Quality of Life"[Mesh])))) OR (((((((postnatal [tiab]) OR postpartum [tiab])) AND ((sexual behavior [tiab]) OR (((((((sleep disorder [tiab]) OR sleep disorders[tiab]) OR social isolation [tiab]) OR pain [tiab]) OR parenting distress [tiab]) OR anxiety [tiab]) OR depression [tiab]) OR birth complications [tiab]) OR weight [tiab]) OR quality of life [tiab]) AND Humans[Mesh] AND English[lang]))) AND (((((((patient satisfaction survey [tiab]) OR patient satisfaction surveys [tiab]) OR patient satisfaction survey [tiab]) OR patient satisfaction surveys [tiab]) OR survey tool [tiab]) OR survey tools[tiab]) AND questionnaires [tiab]) OR question [tiab]) OR questions [tiab]) OR surveys [tiab]) OR survey [tiab])))) 547
2	Intervention	((((((((((((("Obstetric Surgical Procedures/utilization"[Mesh] OR "Anesthesia, Epidural/utilization"[Mesh] OR "Analgesia, Epidural/utilization"[Mesh] OR "Fetal Monitoring/utilization"[Mesh] OR "Episiotomy/utilization"[Mesh] OR "Obstetrical Forceps/utilization"[Mesh] OR "Vacuum Extraction, Obstetrical/utilization"[Mesh] OR "Cesarean Section, Repeat/utilization"[Mesh] OR "Cesarean Section/utilization"[Mesh]))

Phase	Domain	Search Strategy (date range 1975-2014)
		AND (((("Women/psychology"[Mesh]) OR "Attitude to Health"[Mesh]) OR "Pregnant Women/psychology"[Mesh]) AND Humans[Mesh] AND English[lang])) AND ((("Questionnaires"[Mesh]) OR "Psychometrics"[Mesh])) OR (((((((((((questionnaires [tiab]) OR questionnaire [tiab]) OR patient satisfaction surveys [tiab]) OR patient satisfaction survey [tiab]) OR questions [tiab]) OR question [tiab]) OR survey tool [tiab]) OR survey tools [tiab]) OR surveys [tiab]) OR survey [tiab])) AND (((((((((((fetal monitoring [tiab]) OR forceps delivery [tiab]) OR cesarean delivery [tiab]) OR episiotomies [tiab]) OR episiotomy [tiab]) OR vacuum extraction [tiab])) OR epidurals [tiab]) OR epidural [tiab])) OR clinical interventions [tiab])) AND (((pregnancy [tiab]) OR childbirth [tiab]) OR labor [tiab]) OR labour [tiab])) AND (((opinion [tiab]) OR preferences [tiab]) OR preference [tiab]) OR patient participation [tiab]) OR attitude to health [tiab])) Sort by: PublicationDate Filters: Humans; English
2	Induction (2)	(((((("Psychometrics"[Mesh]) OR "Questionnaires"[Mesh])) AND "Labor, Induced"[Mesh]) AND "Attitude to Health"[Mesh]) OR (((((((surveys[tiab] or survey[tiab] or survey tools [tiab] OR survey tool [tiab] OR patient satisfaction surveys [tiab] OR patient satisfaction survey [tiab] OR question [tiab] Or questions [tiab] OR questionnaires [tiab] or questionnaire [tiab])])))) AND (((experience OR choice or opinion or preferences Or attitude)) AND ((induced birth [tiab] OR "induction of labor"))))
2	Labor duration/labor management	arch (((((((("Questionnaires"[Mesh]) OR "Psychometrics"[Mesh])) AND (((((((("Obstetric Labor Complications/physiology"[Mesh]) OR "Labor Onset/physiology"[Mesh]) OR "Labor, Induced/physiology"[Mesh]) OR ("Labor Stage, First/physiology"[Mesh] AND Humans[Mesh] AND English[lang])) OR "Labor Stage, Second/physiology"[Mesh]) OR "Labor Stage, Third/physiology"[Mesh]) OR "Labor, Obstetric/physiology"[Mesh])) AND "Time Factors"[Mesh])) AND Humans[Mesh] AND English[lang])) OR (((((((((((patient satisfaction surveys[tiab]) OR patient satisfaction survey[tiab] OR survey tool [tiab] OR survey tools [tiab] OR surveys [tiab] OR survey [tiab]) OR questions [tiab] OR question [tiab] OR questionnaire [tiab] OR questionnaires [tiab])) AND (((preference[tiab] OR preferences [tiab] OR attitude [tiab]) OR experience [tiab] OR behavior [tiab])) AND (((((((labour progression[tiab] OR labour progress[tiab] OR prolonged labour [tiab] OR prolonged labor [tiab] OR labor progress [tiab] OR labor progression [tiab] OR labour duration [tiab] OR labor duration [tiab])))) AND Humans[Mesh] AND English[lang]) Sort by: PublicationDate Filters: Humans; English
2	NICU babies	Search (((((((((((preferences [tiab]) OR preference [tiab]) OR attitudes [tiab]) OR attitude [tiab]) OR experience [tiab]) OR experiences [tiab]) OR opinion [tiab]) OR opinions [tiab])) AND (((((((((((patient satisfaction survey [tiab] OR patient satisfaction surveys [tiab]) OR questionnaire [tiab] OR questionnaires [tiab]) OR questions [tiab] OR question [tiab] OR survey tool [tiab] OR survey tools [tiab] OR surveys [tiab] OR survey [tiab])) AND (((Nicu [tiab]) OR NICU parents [tiab] OR neonatal intensive care [tiab])))) OR (((("Patient Preference"[Mesh]) OR "Attitude to Health"[Mesh]) AND ("Psychometrics"[Mesh]) OR "Questionnaires"[Mesh])) AND "Intensive Care Units, Neonatal"[Mesh]) AND Humans[Mesh] AND English[lang]) Sort by: PublicationDate Filters: Humans; English
2	Pain management	((((((((((("Mothers/psychology"[Mesh]) OR "Choice Behavior"[Mesh]) OR "Decision Making"[Mesh]) OR "Mothers/psychology"[Mesh])) AND (((("Labor, Obstetric"[Mesh] OR "Parturition"[Mesh]) OR "Labor Pain"[Mesh]) OR "Pregnancy"[Mesh])) AND (((("Complementary Therapies"[Mesh]) OR "Analgesics, Opioid"[Mesh]) OR "Narcotics"[Mesh]) OR "Narcotics"[Mesh]) OR "Analgesics, Opioid"[Mesh] OR "Narcotics"[Mesh]) OR ("Anesthesia, Epidural"[Mesh]))))))) OR (((((((choice [tiab] OR patient preference [tiab] OR (patient centered care [tiab] OR (opinion [tiab] OR (eliciting preferences [tiab] OR (preferences [tiab] OR attitude [tiab])))) AND (((narcotics [tiab] OR opioids [tiab] OR holistic care [tiab] OR (complementary and alternative medicine [tiab])) OR (((epidural analgesia [tiab] OR epidural anesthesia [tiab] OR pain management [tiab] OR pain relief[tiab])) AND Humans[Mesh] AND English[lang])) AND childbirth[tiab]) AND Humans[Mesh] AND English[lang])
2	Position	((((((((((("Posture"[Mesh] AND Humans[Mesh] AND English[lang])) OR ("Knee-Chest Position"[Mesh] OR "Prone Position"[Mesh] OR "Supine Position"[Mesh]) OR ("Labor Presentation"[Mesh] OR "Breech Presentation"[Mesh])))) AND (((("Labor Onset"[Mesh]) OR ("Labor Stage,

Phase	Domain	Search Strategy (date range 1975-2014)
		Third"[Mesh] AND Humans[Mesh] AND English[lang]) OR ("Labor Stage, First"[Mesh] AND Humans[Mesh] AND English[lang]) OR ("Labor Stage, Second"[Mesh] AND Humans[Mesh] AND English[lang])) AND "Questionnaires"[Mesh]) OR ((((((preferences [tiab]) OR preference [tiab]) OR experience [tiab])) AND (((((((maternal birthing positions [tiab]) OR birthing positions [tiab]) OR birth positions [tiab]) OR (maternal positions [tiab] AND Humans[Mesh] AND English[lang])) OR maternal positioning [tiab]) OR birth position [tiab]) OR maternal position [tiab]) AND Humans[Mesh] AND English[lang])) AND (((preferences [tiab]) OR preference [tiab]) OR experience [tiab]))
2	TOLAC (2)	Search (((((((("Questionnaires"[Mesh]) OR "Psychometrics"[Mesh])) AND ("Attitude to Health"[Mesh] AND Humans[Mesh] AND English[lang])) AND "Vaginal Birth after Cesarean"[Mesh])) OR (((((((((((survey [tiab]) OR surveys [tiab]) OR survey tools [tiab]) OR survey tool [tiab]) OR patient satisfaction surveys [tiab]) OR patient satisfaction survey [tiab]) OR question [tiab]) OR questions [tiab]) OR questionnaires [tiab]) OR questionnaire[tiab])) AND (((((((((((preferences [tiab]) OR preference [tiab]) OR attitudes [tiab]) OR attitude [tiab]) OR opinions [tiab]) OR opinion [tiab]) OR experiences [tiab]) OR experience [tiab])) AND (((((((((((("trial of labour after caesarean delivery") OR "trial of labour") OR "trial of labor after cesarean delivery") OR "trial of labor after cesarean tolac") OR "trial of labor after cesarean") OR "trial of labor") OR trial of labor [tiab]) OR trial of labor after cesarean [tiab]) OR TOLAC [tiab])) OR vaginal birth after cesarean section [tiab]) OR vbac[tiab])))) AND Humans[Mesh] AND English[lang]) Filters:Humans; English 42
3	Dbase 3 congenital abnormalities	Search (((((((("Pregnancy"[Mesh]) OR "Delivery, Obstetric"[Mesh])) AND ((("Questionnaires"[Mesh]) OR "Psychometrics"[Mesh])) AND ((("Health Knowledge, Attitudes, Practice"[Mesh]) OR "Attitude to Health"[Mesh])) AND ((("Congenital Abnormalities/diagnosis"[Mesh]) OR "Congenital Abnormalities"[Mesh])))) OR (((((((((((concerns [tiab]) OR concern [tiab]) OR experiences [tiab]) OR experience [tiab]) OR knowledge [tiab]) OR preference [tiab]) OR preferences [tiab]) OR opinions [tiab]) OR opinion [tiab])) AND (((((((congenital anomalies [tiab]) OR congenital abnormalities [tiab]) OR congenital defects [tiab])) AND ((childbirth [tiab]) OR pregnancy [tiab])))) AND (((((((((((patient satisfaction surveys [tiab]) OR patient satisfaction survey [tiab]) OR questionnaire [tiab]) OR questionnaires [tiab]) OR questions [tiab]) OR question [tiab]) OR survey tool [tiab]) OR survey tools [tiab]) OR surveys [tiab]) OR survey [tiab])))) Sort by: PublicationDate Filters: Humans; English: Humans; English
3	fetal abnormalities	((((((((("Health Knowledge, Attitudes, Practice"[Mesh]) OR "Attitude to Health"[Mesh])) AND ((("Psychometrics"[Mesh]) OR "Questionnaires"[Mesh])) AND (((((((("Infant, Premature/psychology"[Mesh]) OR "Infant, Extremely Premature/psychology"[Mesh]) OR (("Fetus/abnormalities"[Mesh] OR "Fetus/mortality"[Mesh]))) OR "Premature Birth/psychology"[Mesh]) OR "Infant, Extremely Low Birth Weight/psychology"[Mesh]) OR "Pregnancy, Twin/psychology"[Mesh]) OR "Pregnancy, Multiple/psychology"[Mesh]) OR "Infant, Low Birth Weight/psychology"[Mesh])))) OR (((((((((((pregnancy [tiab]) OR childbirth [tiab])) AND (((preterm infant [tiab]) OR low birth weight [tiab]) OR premature birth [tiab])))) OR (((((((fetal abnormalities [tiab]) OR fetal defects [tiab]) OR fetal malformation [tiab]) OR fetal anomalies [tiab]) OR "twin pregnancies") OR twin pregnancies [tiab])))) AND (((((((((((preference [tiab]) OR preferences [tiab]) OR opinion [tiab]) OR opinions [tiab]) OR concern [tiab]) OR concerns [tiab]) OR experience [tiab]) NOT experiences [tiab]) OR expectations [tiab]) OR expectation [tiab]) OR attitudes [tiab]) OR attitude [tiab]) OR knowledge [tiab])) AND (((((((((((patient satisfaction surveys [tiab]) OR patient satisfaction survey [tiab]) OR survey tool [tiab]) OR survey tools [tiab]) OR questionnaire [tiab]) OR questionnaires [tiab]) OR questions [tiab]) OR question [tiab]) OR surveys [tiab]) OR survey [tiab])))) Sort by: PublicationDate Filters: Humans; English
3	Health care disparities/ethnic group /minority health	((((((((((((((((((((questionnaire [tiab]) OR questionnaires [tiab]) OR surveys [tiab]) OR survey [tiab]) OR survey tools [tiab]) OR survey tool [tiab]) OR patient satisfaction surveys [tiab]) OR patient satisfaction survey [tiab]) OR question [tiab]) OR questions [tiab]))))))) AND Humans[Mesh] AND English[lang])) AND (((((((((((childbirth [tiab]) OR pregnancy [tiab] Or prenatal care [tiab] or postnatal care[tiab] or postpartum care [tiab])))) AND (((((((((((experiences [tiab]) OR experience [tiab])) OR (((((((opinions [tiab]) OR opinion [tiab]) OR attitudes [tiab]) OR attitude[tiab]) OR preference[tiab]) OR concerns [tiab]) OR preferences[tiab]) OR concern [tiab]) OR expectation [tiab]) OR expectations

Phase	Domain	Search Strategy (date range 1975-2014)
		[tiab]])))))))))) AND (healthcare disparities [tiab] OR healthcare inequalities [tiab] or ethnicity [tiab] or ethnic group [tiab] or minority health [tiab])))) OR (((((((("Ethnic Groups"[Mesh]) OR "Healthcare Disparities"[Mesh]) OR "Minority Health"[Mesh])) AND (("Attitude to Health"[Mesh]) OR "Health Knowledge, Attitudes, Practice"[Mesh])) AND (("Questionnaires"[Mesh]) OR "Psychometrics"[Mesh])) AND (((((((("Labor Pain"[Mesh]) OR "Analgesia, Obstetrical"[Mesh]) OR "Natural Childbirth"[Mesh]) OR "Postnatal Care"[Mesh]) OR "Prenatal Care"[Mesh]) OR ("Cesarean Section"[Mesh] OR "Cesarean Section, Repeat"[Mesh])) OR "Parturition"[Mesh])) Sort by: PublicationDate
3	Fetal monitoring	Search (((("Fetal Monitoring/psychology"[Mesh]) OR "Cardiotocography/psychology"[Mesh])) OR (((((((experiences [tiab]) AND experience [tiab]) OR (((((((opinions [tiab] OR opinion [tiab] OR attitudes [tiab] OR attitude[tiab] OR preference[tiab] OR concerns [tiab] OR preference[tiab] OR concern [tiab] OR expectation [tiab] OR expectations [tiab])))) AND (((((((questionnaire [tiab] OR questionnaires [tiab] OR surveys [tiab] OR survey [tiab] OR survey tools [tiab] OR survey tool [tiab] OR patient satisfaction surveys [tiab] OR patient satisfaction survey [tiab] OR question [tiab] OR questions [tiab])) AND ((electronic fetal monitoring [tiab]) OR fetal monitoring [tiab])) AND Humans[Mesh] AND English[lang]) Sort by: PublicationDate Filters: Humans; English
3	Migrants	((((((((((((((((experiences [tiab] OR experience [tiab]) OR (((((((opinions [tiab] OR opinion [tiab] OR attitudes [tiab] OR attitude[tiab] OR preference[tiab] OR concerns [tiab] OR preferences[tiab] OR concern [tiab] OR expectation [tiab] OR expectations [tiab])))) AND (((((((questionnaire [tiab] OR questionnaires [tiab] OR surveys [tiab] OR survey [tiab] OR survey tools [tiab] OR survey tool [tiab] OR patient satisfaction surveys [tiab] OR patient satisfaction survey [tiab] OR question [tiab] OR questions [tiab])))) AND immigrant women[tiab] or immigrant population[tiab] or migrant women [tiab] AND (pregnancy [tiab] OR childbirth [tiab] or cesarean section [tiab] or fetal abnormalities [tiab] or multiple birth [tiab] or fetal malformation [tiab] or obstetric labor[tiab] or obstetric labour[tiab] or postnatal care [tiab] or prenatal care [tiab] or post-natal care [tiab] or pre-natal care[tiab] or obstetric labor [tiab])))) OR (((((((("Fetus/mortality"[Mesh]) OR ("Fetus/abnormalities"[Mesh] OR (((("Prenatal Care"[Mesh]) OR ("Postnatal Care"[Mesh] OR "Postpartum Period"[Mesh])) OR (((("Obstetric Labor Complications"[Mesh]) OR ("Natural Childbirth"[Mesh] AND Humans[Mesh] AND English[lang])) OR ("Cesarean Section"[Mesh] OR "Cesarean Section, Repeat"[Mesh])) OR ("Delivery, Obstetric"[Mesh] OR "Labor, Obstetric"[Mesh])) AND Humans[Mesh] AND English[lang])) AND "Emigrants and Immigrants"[Mesh] AND (((("Questionnaires"[Mesh] AND Humans[Mesh] AND English[lang])) OR "Psychometrics"[Mesh]))
3	Computer literacy	((((((((("Computer Literacy"[Mesh] OR "Internet"[Mesh])AND (((((((("Psychometrics"[Mesh] AND Humans[Mesh] AND English[lang])) OR ("Questionnaires"[Mesh] AND Humans[Mesh] AND English[lang])) AND (((((((("Prenatal Care"[Mesh]) OR "Postnatal Care"[Mesh]) OR ("Labor, Obstetric"[Mesh] OR "Parturition"[Mesh])) OR "Natural Childbirth"[Mesh]) OR ("Cesarean Section, Repeat"[Mesh] OR "Cesarean Section"[Mesh])) OR ((("Delivery, Obstetric"[Mesh] OR "Labor, Obstetric"[Mesh])))) OR (((Computer literacy [tiab] OR computer knowledge [tiab] or internet use [tiab] or E-learning [tiab] or online learning [tiab]AND ((survey [tiab] or surveys [tiab] or survey tools[tiab] or survey tool[tiab] or questions[tiab] or question[tiab] or questionnaire [tiab] or questionnaires [tiab])))) AND (((((((pregnant women [tiab] OR (pregnancy [tiab] Or childbirth [tiab] OR postnatal care [tiab] OR post-natal care [tiab] or prenatal care [tiab] or pre-natal care [tiab] or cesarean section [tiab] or multiple birth [tiab])))))))
3	Health literacy and info seeking	((((((((("Psychometrics"[Mesh] AND Humans[Mesh] AND English[lang])) OR ("Questionnaires"[Mesh] AND Humans[Mesh] AND English[lang])) AND (((((((("Prenatal Care"[Mesh]) OR "Postnatal Care"[Mesh]) OR ("Labor, Obstetric"[Mesh] OR "Parturition"[Mesh])) OR "Natural Childbirth"[Mesh]) OR ("Cesarean Section, Repeat"[Mesh] OR "Cesarean Section"[Mesh])) OR ((("Delivery, Obstetric"[Mesh] OR "Labor, Obstetric"[Mesh])))) AND (((((((("Language"[Mesh] OR "Language Arts"[Mesh]))OR "Reading"[Mesh] OR "Information Seeking Behavior"[Mesh] OR "Information Literacy"[Mesh] OR "Health Literacy"[Mesh])))) OR (((((((((((communication skills [tiab] Or language skills [tiab] OR information literacy [tiab] OR health literacy [tiab] OR reading level [tiab] OR reading skills [tiab] or information seeking [tiab])))) AND ((survey

Phase	Domain	Search Strategy (date range 1975-2014)
		[tiab] or surveys [tiab] or survey tools[tiab] or survey tool[tiab] or questions[tiab] or question[tiab] or questionnaire [tiab] or questionnaires [tiab]))) AND (((((((pregnant women [tiab]) OR (pregnancy [tiab] Or childbirth [tiab] OR postnatal care [tiab] OR post-natal care [tiab] or prenatal care [tiab] or pre-natal care [tiab] or cesarean section [tiab] or multiple birth [tiab]))))))))
3	educational level	((((("Health Knowledge, Attitudes, Practice"[Mesh] AND Humans[Mesh] AND English[lang]) OR "Health Knowledge, Attitudes, Practice"[Mesh]) AND (((("Psychometrics"[Mesh] OR "Questionnaires"[Mesh]) AND (((((((("Natural Childbirth"[Mesh] OR "Anesthesia, Obstetrical"[Mesh] OR "Anesthesia, Obstetrical"[Mesh] OR "Labor, Obstetric"[Mesh] OR ("Cesarean Section"[Mesh] OR "Cesarean Section, Repeat"[Mesh]) OR "Postnatal Care"[Mesh] OR ("Labor, Obstetric"[Mesh] OR "Parturition"[Mesh])) OR "prenatal Care"[Mesh]) AND "Educational Status"[Mesh]))) OR (((((((((((patient satisfaction surveys [tiab]) OR patient satisfaction survey [tiab]) OR survey tool [tiab] OR survey tools [tiab] OR questionnaires [tiab] OR questionnaire [tiab] OR surveys [tiab] OR survey [tiab] OR questions [tiab] OR question [tiab])) AND (((((((((((expectations [tiab]) OR expectations [tiab] OR preference [tiab] OR preferences [tiab] OR opinions [tiab] OR opinion [tiab] OR attitudes [tiab] OR attitude [tiab] OR concerns [tiab] OR concern [tiab] OR experience [tiab] OR experiences [tiab])) AND (((college education [tiab] OR high school education [tiab] OR education level [tiab]) AND (((((((postpartum care [tiab] OR postnatal care [tiab] OR post-natal care [tiab] OR pre-natal care [tiab] OR prenatal care [tiab] OR multiple birth [tiab] OR cesarean section [tiab] OR pregnancy [tiab] OR childbirth [tiab]))) AND Humans[Mesh] AND English[lang]) Sort by: PublicationDate Filters:Humans; English
3	Poverty and social economics and class / disparities	(((("Attitude to Health"[Mesh] AND (((("Psychometrics"[Mesh] OR "Questionnaires"[Mesh]) AND (((("Analgesia, Obstetrical/psychology"[Mesh] OR "Anesthesia, Obstetrical/psychology"[Mesh] OR (((("Postnatal Care/psychology"[Mesh] OR "Prenatal Care/psychology"[Mesh] OR "Natural Childbirth/psychology"[Mesh] OR "Cesarean Section, Repeat/psychology"[Mesh] OR "Cesarean Section/psychology"[Mesh]))) AND (((("Poverty"[Mesh] OR "Socioeconomic Factors"[Mesh] OR "Social Class"[Mesh]))) OR (((((((((((attitudes [tiab] OR attitude [tiab] OR concerns [tiab] OR concern [tiab] OR expectation [tiab] OR expectations [tiab] OR preference [tiab] OR preferences [tiab] OR opinions [tiab] OR opinion [tiab])) AND (((((((poverty [tiab] OR (((socially disadvantaged women [tiab] OR economically disadvantaged women [tiab] OR socio-economic status [tiab] OR low-income [tiab])) AND (((pregnancy[tiab] OR postpartum care[tiab] OR prenatal care [tiab] OR pre-natal care [tiab] OR childbirth [tiab])) AND (((((((question [tiab] OR questions [tiab] OR questionnaire [tiab] OR questionnaires [tiab] OR survey [tiab] OR surveys [tiab] OR survey tools [tiab] OR survey tool [tiab] OR patient satisfaction survey [tiab] OR patient satisfaction surveys [tiab])))) Sort by:PublicationDate Filters: Humans; English
4	PRO Filter	Search (((((((((((((((((((((((((((((((((((("activity index" [tiab] OR "severity index" [tiab] OR "Severity of Illness Index"[Mesh] OR "Quality of Life"[Mesh] OR "Models, Psychological"[Mesh] OR psychosoc* [tiab] OR "patient reported outcome" [tiab] OR "item bank"[tiab] OR "computer adaptive testing" [tiab] OR DIF [tiab] OR "differential item functioning" [tiab] OR Rasch [tiab] OR IRT [tiab] OR "item response model" [tiab] OR MID [tiab] OR MCID [tiab] OR "minimal important difference" [tiab] OR "minimally clinically important difference" [tiab] OR "minimal clinically important difference" [tiab] OR "minimally clinical important difference" [tiab] OR "minimal clinical important difference" [tiab] OR (((multitrait[tiab] AND scaling[tiab]) AND ((analysis [tiab] OR analyses [tiab])) OR "factor analyses"[tiab] OR "factor analysis"[tiab] OR ((reliab* [tiab] AND ((retest [tiab] OR test [tiab])) OR ((cronbach [tiab] AND (alpha [tiab] OR alphas [tiab])) OR survey tool*[tiab] OR questionnaires*[tiab] OR psychometr* [tiab] OR "Questionnaires"[Mesh] OR "psychometrics"[MESH] OR (survey*[tiab] or scale*[tiab] OR "reproducibility of results" [mesh] Or reliab*[tiab] or valid* [tiab] or reproducib*[tiab]))) AND (((((((((((((((((((obstetric labour experienc*[tiab] OR obstetric labor experienc*[tiab] Or obstetric labor expectation *[tiab] or obstetric labour expectation* [tiab] Or obstetric labor preference* [tiab] or obstetric labour preference*[tiab] or childbearing expectation*[tiab] OR childbearing experienc*[tiab] OR childbearing preference* [tiab] OR cesarean section experience* [tiab] or cesarean section

Phase	Domain	Search Strategy (date range 1975-2014)
		<p>expectation*[tiab] or cesarean section preference* [tiab] OR childbirth experience* [tiab] or childbirth expectation* [tiab] or childbirth preferenc* [tiab] OR childbirth satisfaction [tiab] OR "childbirth experiences" OR "childbirth experience" OR birth experience* [tiab] or birth preference* [tiab] or birth satisfaction [tiab]))) OR (((((((((((("Delivery, Obstetric/psychology"[Mesh] OR "Labor, Obstetric/psychology"[Mesh] OR "Pregnancy, Twin/psychology"[Mesh] OR "Parturition/psychology"[Mesh] OR "Cesarean Section/psychology"[Mesh] OR "Pregnancy/psychology"[Mesh] OR "Natural Childbirth/psychology"[Mesh] OR(("Delivery, Obstetric"[Mesh] AND "Anxiety/psychology"[Mesh] OR ("infant welfare" [mesh] AND "Anxiety/psychology"[Mesh])))))))))))) NOT (clinical trial [pt] OR news [pt] or editorial [pt] or letter[pt]))</p>
5	Hospital choice	<p>Search (((((((("Psychometrics"[Mesh] OR "Questionnaires"[Mesh])) AND (((((((("Hospitals, Teaching"[Mesh] OR "Academic Medical Centers"[Mesh] OR "Hospitals, Maternity"[Mesh] OR "hospitals , private" [MESH]"Hospitals, Religious"[Mesh] OR "Hospitals, Urban"[Mesh] OR "Hospitals, University"[Mesh] OR "Hospitals, Special"[Mesh] OR "Hospitals, State"[Mesh] OR "Hospitals, Rural"[Mesh] OR "Hospitals, Public"[Mesh])) OR ("Obstetrics and Gynecology Department, Hospital"[Mesh]))) AND "Choice Behavior"[Mesh]))) AND "Delivery, Obstetric"[Mesh])) OR ((((((place of birth OR childbirth location OR maternity hospital OR obstetrics and gynecology department)) AND women's choice)) AND ((question[tiab] OR questions[tiab] OR questionnaires[tiab] OR questionnaire[tiab] OR survey[tiab] OR survey tools[tiab] OR survey[tiab] OR surveys[tiab] OR psychometr*[tiab]))) AND Humans[Mesh] AND English[lang]) Sort by: PublicationDate</p>